



FOOD AND AGRICULTURE ORGANIZATION OF THE UNITED NATIONS

The Global Administrative Unit Layers GAUL 2015

Technical Aspects of the GAUL Distribution Set

GAUL/ Doc 01
19/12/2014

TABLE OF CONTENTS

OBJECTIVE.....	3
GAUL OVERVIEW	4
1. OVERALL METHODOLOGY	5
2. GAUL LIFETIME AND PERIODICITY OF THE RELEASES.....	5
3. FILENAME NAMES OF THE GAUL SET	5
STRUCTURE OF THE GAUL SET.....	7
4. GEOGRAPHIC FEATURES.....	7
5. ATTRIBUTE TABLE	8
5.1 CODING SYSTEM	9
5.2 OTHER INFORMATION INCLUDED IN THE ATTRIBUTE TABLE	11
6. DATA ASSOCIATED TO THE GAUL SET	11
6.1 GROUPINGS	12
6.2 INTERNATIONAL COUNTRY CODES AND ATTRIBUTES	12
6.3 LAST UPDATE	13
6.4 ADMINISTRATIVE UNITS DENOMINATION	13
6.5 SALB CODES (provisional matching)	13
6.6 OFFICIAL NAMES.....	14
6.7 UNSETTLED TERRITORIES.....	14
UPDATING PROTOCOL.....	15
7. UPDATES OF ADMINISTRATIVE UNITS NOT AFFECTING LOWER LEVELS.....	15
7.1 CREATION OF A NEW ADMINISTRATIVE UNIT (SPLIT)	15
7.2 DELETION OF AN ADMINISTRATIVE UNIT (MERGE).....	16
8. UPDATES OF ADMINISTRATIVE UNITS AFFECTING LOWER LEVELS.....	16
8.1 Modified Coordinates of the Boundaries	16
9. RENAMING OF ADMINISTRATIVE UNITS	17
10. UNSETTLED TERRITORIES	18
11. PROCEDURES	19
11.1 IDENTIFICATION AND SELECTION OF DATA	20
11.2 CREATION AND UPDATING OF GAUL SET	20
GAUL CONTACTS	21

OBJECTIVE

The Global Administrative Unit Layers (GAUL) is an initiative implemented by FAO within the financial support of the Bill & Melinda Gates Foundation, Agricultural Market Information System (AMIS) and AfricaFertilizer.org. GAUL aims at compiling and disseminating the most reliable spatial information on administrative units for all countries in the world. GAUL intends to a) overcome the fragmentation of the global dataset occurring when administrative units layers are digitized on a country-by-country basis, b) promote a unified coding system that reduces maintenance efforts and c) keep historical track of changes occurring on the shapes and extent of the administrative units. The GAUL provides a contribution to the standardization of the spatial dataset representing administrative units.

GAUL OVERVIEW

GAUL aims at delivering global layers with a complete and up-to-date set of units for the first and second administrative levels. GAUL distributes data of individual countries for more detailed administrative levels, where available.

The coding system used to identify administrative units maintains vertical and horizontal uniqueness of the codes: administrative unit codes are numeric and unique within the same level (i.e. communes - vertical uniqueness) and across levels (i.e. between communes and provinces - horizontal uniqueness).

The main advantage of the GAUL coding system is the low maintenance effort required to synchronize GAUL codes with external tables and datasets, when changes in administrative units occur. Codes change when the shapes of the related administrative units are altered.

GAUL codes are unstructured and only used as identifiers of administrative units. Each code does not include information about its parent administrative unit (i.e. a code of an administrative unit at the first level does not include its country code as a subset of the number of digits forming the code).

GAUL keeps track of locations, features and names of administrative units changed or dismissed. Obsolete administrative units are kept in the database and refer to the relevant time interval. As a result, the database includes overlapping polygons where changes in the shape of the administrative units occur.

Consequently, the GAUL product is not a single layer but a group of layers, named “GAUL Set”, in which each layer represents the instance of the administrative units of the world that is valid until a documented modification of these units has occurred. Each layer of the GAUL Set is associated to the year in which a re-organization of the administrative units of one or more countries has been made. The “Reference Year” of a layer of the GAUL Set is the year in which it is known that one or more administrative unit(s) has been modified and for which older and newer boundaries are available.

Example:

An administrative unit has been modified in 1999; a new layer having the year 1999 as Reference Year can be added to the GAUL Set.

Data might not be officially validated by authoritative national sources and can not be distributed to the general public. A disclaimer should always accompany any use of the GAUL data.

1. OVERALL METHODOLOGY

The implementation of the GAUL initiative is based on a collaborative work among international agencies and national authorities generating and/or collecting spatial information on administrative units. The role of FAO is to maintain active this network of collaborators, to evaluate and compile data from available sources, to establish procedures for data integration, to generate the GAUL codes and to periodically disseminate the GAUL Set. The overall methodology consists in:

- a) collecting the best available data from most reliable sources,
- b) establishing validation periods of the geographic features (when possible),
- c) adding selected data to the global layer based on the international boundaries provided by the UN Cartographic Unit,
- d) generating codes using the GAUL Coding System and
- e) distribute data to the users.

The procedures used to implement the above steps are described in next section. They provide a description of the structure of the GAUL Set and a summary of the main criteria applied for the compilation of the spatial features and for structuring the coding system.

2. GAUL LIFETIME AND PERIODICITY OF THE RELEASES

The GAUL Set is released once a year and the maximum temporal resolution of each layer of the GAUL Set is 1 year. Changes of administrative units will be conventionally applied from the 1st of January of the year in which these changes have occurred, irrespectively to the effective dates in which changes were made official.

A new GAUL Set is released when at least one of the following cases occur:

1. At least one administrative boundary segment is updated because more reliable and accurate data is available. Changes are implemented in all layers of the GAUL Set containing the corrected boundaries.
2. At least one administrative unit has expired and new and old boundaries are available. Changes are implemented in all layers of the GAUL Set that refer to the interval of years in which these boundaries were officially valid.

The lifetime of a layer of the GAUL Set starts from the 1st of January of its reference year until the 31st of December of the Reference Year of the next released layer of the GAUL Set.

The GAUL project does not implement changes dated before 1990.

3. FILENAMES OF THE GAUL SET

Each release of the GAUL Set is identified by the Year of the Release; it includes groups of layers that refer to the available Reference Years. Each group consists of three layers, one for each administrative level:

- A layer of country boundaries (Level 0)
- A layer of first level administrative units (Level 1)
- A layer of second level administrative units (Level 2)

Accordingly, the GAUL filenames are structured to include the above mentioned information to facilitate the user in the identification of each individual layer.

The structure of the filenames is the following:

Start Digit	No. of Digits	Value/Format	Description
1	1	G	The first letter of the word “GAUL”. It is present in every layer
2	4	yyyy	The Year of Release (i.e. 2005)
6	1	“ _ ”	Underscore used as separator
7	4	yyyy	The Reference Year (i.e. 1999)
11	1	“ _ ”	Underscore used as separator
12	1	0, 1 or 2	The administrative level the layer refers to

Example:

A GAUL Set is released in the year 2015 and includes layers for the following Reference Years: 1995, 1999 and 2004.

According to the structure above the filenames will be:

- G2015_2004_0
- G2015_2004_1 Reference Year 2004; Year of the Release 2015
- G2015_2004_2
- G2015_1999_0
- G2015_1999_1 Reference Year 1999; Year of the Release 2015
- G2015_1999_2
- G2015_1995_0
- G2015_1995_1 Reference Year 1995; Year of the Release 2015
- G2015_1995_2

STRUCTURE OF THE GAUL SET

A GAUL Set is a spatial dataset representing locations and shapes of administrative units. It consists of two types of information: geographic features and attribute data. The first type provides information on the physical location of the units while the second type stores descriptive information associated to the administrative units (i.e. administrative unit names). For convenience, geographic features and their attributes are dealt with in separate paragraphs. The main characteristics of the data are:

- GAUL relies on only one data source for international boundaries and unsettled territories: the UN Cartographic Section (UNCS), who is the UN authority for international boundaries. The GAUL data policy conforms to the one of the UNCS.
- GAUL is a compilation of national and international sources for the internal administrative boundaries and names. It also includes data from other UN projects that collect and compile data on administrative boundaries like the Second Administrative Unit Boundaries (SALB) managed by UN Statistics Division
- GAUL data is not made available to the public, but it is only distributed to United Nations and United Nations partners

The GAUL project maintains disputed areas in such a way to preserve national integrity for all disputing countries.

4. GEOGRAPHIC FEATURES

In its current form, each layer of the GAUL Set includes three levels of administrative boundaries and units:

- Level 0 (ADM0): International or country boundaries. National boundaries as provided by the UN Cartographic Unit (disputed area boundaries are also included). This is the highest level.
- Level 1 (ADM1): First level administrative boundaries. These boundaries are entirely contained within the Level 0, without exceptions
- Level 2 (ADM2): Second level administrative boundaries. These boundaries are entirely contained within the Level 1, without exceptions. This is the lowest level currently considered under the GAUL project

In addition, when data is available, the GAUL provides layers on a country by country basis down to third, fourth and lower levels.

The GAUL Set must only include administrative boundaries. Any other feature not explicitly related to such boundaries is excluded (i.e. water body shorelines and rivers are only retained when they coincide with administrative boundaries).

The administrative boundaries are considered to be coincident with the centreline of a water stream when the following situations occur at the same time:

- The scale of representation allows to map both banks of the water stream as distinct vector lines
- Segments of water streams are known to coincide with the administrative boundaries, but the exact location of these boundary lines is not specified in the source data

First level administrative boundaries are arbitrarily extended inside water bodies and water streams if their location is not explicitly reported in the source data. The boundaries inside water bodies and water streams are extended by maintaining as much as possible the direction of the edge of the boundary. If not available in the source data, the second level administrative boundaries and below (e.g. third, fourth, etc.) are not extended inside water bodies; the shorelines are taken as limits of the units. In this case, the polygons inside the water bodies do not represent the second level administrative units and are coded as “Administrative unit not available”.

The GAUL Set reports the international, first level and second level administrative boundaries delimiting, or falling within, the unsettled territories (e.g. disputed areas) in a way to enable the re-construction of the administrative units as they are specified by the individual disputing countries.

Modifications of the boundaries’ locations are implemented in two different modes:

- Correction mode: occurs when boundaries are modified in order to improve on their positional accuracy. Boundaries might need to be corrected when more reliable data source or new sets of control points are available. The correction mode implies a cascade modification of all the boundaries of all layers of the GAUL Set that include the affected administrative units
- Update mode: occurs when boundaries are modified in order to reflect political deliberations on changes in the administrative units. The update mode implies a cascade modification of only those layers of the GAUL Set whose lifetime coincides with the lifetime of the modified units.

5. ATTRIBUTE TABLE

The following table describes the attributes associated to the geographic features of the GAUL Set:

Field Name	Description	Data Type	Length
ADM0_NAME	UN country name	String	100
ADM0_CODE	GAUL country code	Long Integer	
ADM1_NAME	name of administrative units at first level	String	100
ADM1_CODE	GAUL code of administrative units at first level	Long Integer	
ADM2_NAME	name of administrative units at second level	String	100
ADM2_CODE	GAUL code of admin units at second level	Long Integer	
STR2_YEAR	creation year of the administrative unit	Long Integer	
EXP2_YEAR	expiry year of the administrative unit	Long Integer	
DISP_AREA	Unsettled Territory: Yes/No	String	3
STATUS	Status of the country	Text	37

The GAUL coding system is implemented using the “ADMx_CODE” field series (where “x” indicates a generic administrative level). Links to other official coding systems such as ISO3 or ISO2 are provided in separate tables delivered in association to the GAUL Set and described in the paragraphs below. Links to national and local coding systems for Level 1 and Level 2 administrative units, if available, could also be provided.

5.1 CODING SYSTEM

GAUL codes are numeric and unique for all administrative units at any of the administrative hierarchical level.

Any GAUL code is independent from the codes of its higher levels (i.e. a code of a unit at Level 2 does not include the code of the correspondent unit at Level 1)

GAUL codes assigned to administrative units of a given country are not necessarily sequential numbers. A new code is a number created from the largest code occurring in the GAUL Set and incremented of 1 unit.

New_code = largest_GAUL_code + 1

A code that has been used within the GAUL Coding System can never be reused. Consequently, a code belonging to an administrative unit that has expired (and therefore deleted from the relevant layers of the GAUL Set) cannot be reassigned to another administrative unit.

The GAUL coding system does not accept NULL or "0" codes. GAUL codes are always consistently assigned to the attributes ADM0_CODE, ADM1_CODE and ADM2_CODE. If information on administrative units for a given administrative level is not available (i.e. boundaries of administrative units at level 2 are missing; boundaries of administrative units at level 2 inside a lake are not available), GAUL codes are assigned to its attribute (i.e. ADM2_CODE), but the value of the correspondent ADMx_NAME will be: "Administrative unit not available". If data for any of the missing administrative units become available at a later stage, new GAUL codes are to be assigned to the newly included units and the previous codes are to be dismissed.

The ADMx_NAME attributes of administrative units whose names are unknown, but whose boundaries are available, are given the value of "Name Unknown".

Example 1:

Administrative units at Level 2 are unknown. The field ADM2_NAME will be set to “Admin unit not available”.

ADM0_CODE	ADM0_NAME	ADM1_CODE	ADM1_NAME	ADM2_CODE	ADM2_NAME
6	Egypt	14	Al Jizah	1456	Administrative unit not available
6	Egypt	56	Al Bahr	2357	Administrative unit not available

Example 2:

Administrative units at Level 2 inside the Lake Victoria are unknown. The field ADM2_NAME will be set to “Administrative unit not available”.

ADM0_CODE	ADM0_NAME	ADM1_CODE	ADM1_NAME	ADM2_CODE	ADM2_NAME
126	Uganda	132	Kampala	34700	Administrative unit not available
126	Uganda	789	Masaka	2167	Administrative unit not available

Example 3:

Administrative units at Level 2 exist but their names are unknown. The field ADM2_NAME will be set to “Name Unknown”.

ADM0_CODE	ADM0_NAME	ADM1_CODE	ADM1_NAME	ADM2_CODE	ADM2_NAME
76	Haiti	345	Grand Anse	45678	Name Unknown
76	Haiti	345	Grand Anse	3213	Name Unknown

The tables below show examples of relationships among codes of different administrative unit levels.

ADM0_NAME	ADM0_CODE	ADM0_CODE	ADM1_CODE	ADM0_CODE	ADM1_CODE	ADM2_CODE
Armenia	1	1	547	1	547	35000
Afghanistan	2	1	2548	1	547	7901
Albania	3	1	501	1	547	15248

The main benefit of the GAUL Coding System is that changing in the codes of an administrative unit might not imply a change of codes of the correspondent units at lower levels. This means that the effort to maintain the links between thematic data and associated administrative units is reduced to the minimum.

5.2 OTHER INFORMATION INCLUDED IN THE ATTRIBUTE TABLE

- Names of the administrative units: The fields “ADMx_NAME” store the names of the administrative units. Names are provided in English.
- Year of creation of the administrative units: The field “STRx_YEAR” store the reference year in which the administrative units were established. When blank, the units are conventionally assumed to exist before 1990.
- Year of expiry of the administrative units: The field “EXPx_YEAR” store the reference year in which the administrative units have been dismissed or changed. When blank, the units are conventionally assumed to be still in existence.

The following example illustrates the uses of the START_YEAR and EXPIRY_YEAR fields for administrative units of Level 1 of a hypothetical layer of the GAUL Set whose reference year is 1998:

ADM1_CODE	STR1_YEAR	EXP1_YEAR	Comments
671	-	1999	Refers to a unit dismissed in 1999 and for which its year of creation is unknown. The unit is assumed to be valid from before 1990 to the 31 st December 1999.
8564	1993	2000	Refers to a unit created in 1993 and dismissed in 1999. The unit is assumed to be valid from the 1 st January 1993 until the 31 st December 2000 *.
902	1998	-	Refers to a unit created in 1998 and for which its duration is unknown. The unit is assumed to be valid until today's date. <i>This year coincides with the reference year of the considered layer of the GAUL Set.</i>

6. DATA ASSOCIATED TO THE GAUL SET

The following information is provided as ancillary data of the GAUL Set:

- Groupings: Composition of macro geographical (continental) regions, geographical sub-regions, and selected economic and other groupings (M49).
- Hierarchy: Relation between the codes of the different levels of hierarchy.
- International Country Codes and Attributes: Link to other international coding systems at country level.
- Last Update: A table used to store the date of the last update of the different administrative units.
- Names administrative units: A table used to relate the denomination of the administrative units (both in national and English versions) to the GAUL codes at country level.
- SALB codes: In accordance with the SALB data policy, SALB codes can be linked to the GAUL codes for those countries already validated by SALB (Second Administrative Level Boundaries project), which have been included in the GAULSet. At the moment, this table is available for the most recent time series of the GAULSet only.
- Official names: A table used to store names of the countries in the FAO official languages.
- Unsettled Territories: A table used to store the relation between countries and disputed areas and related information.

The sections below provide detailed information of the structure of the above tables. External data is linked to the attribute tables of the GAUL Set using the GAUL Coding System. The link with the attribute tables of the GAUL Set is made using only one field named “ADM_CODE”. Because of the vertical and horizontal uniqueness of the codes, in fact, there is no ambiguity in the reference of external information to the appropriate administrative units.

6.1 GROUPINGS

Field	DataType	Lenght	AliasName	Description
ADM_CODE	Long Integer		ADM_CODE	GAUL code of the administrative unit(L0)
ADM_NAME	String	100	ADM_NAME	Name of the administrative unit(L0)
GROUP	String	100	GROUP	Name of the group: continent, region, etc.
GROUP_CODE	Long Integer		GROUP_CODE	M49 code of the composition of groups

6.2 INTERNATIONAL COUNTRY CODES AND ATTRIBUTES

Field	DataType	Lenght	AliasName	Description
ADM_CODE	Integer		ADM_CODE	GAUL country code
UN_CODE	Integer		UN_CODE	UN code
ISO_CODE	String		ISO_CODE	ISO code
ISO3_CODE	String		ISO3_CODE	ISO3 code
FAO_CODE	String		FAO_CODE	FAO code
COLOR_CODE	String		COLOR_CODE	COLOR code
STATUS	String		STATUS	Status of the country
CAPITAL	String		CAPITAL	Capital of the country
CRS	Integer		CRS	CRS code
M49	Integer		M49	M49 code

6.3 LAST UPDATE

Field	DataType	Lenght	AliasName	Description
ADM_CODE	Long integer		ADM_CODE	GAUL code
LAST_UPDATE	Long/Date		LAST_UPDATE	Date of the last update

6.4 ADMINISTRATIVE UNITS DENOMINATION

Field	DataType	Lenght	AliasName	Description
ADM_CODE	Long Integer		ADM_CODE	GAUL country code
ADM_NAME	String	100	ADM_NAME	UN country name (English)
LEVEL1_TYPE	String	100	LEVEL_1	Denomination of the administrative level 1
LEVEL2_TYPE	String	100	LEVEL_2	Denomination of the administrative level 2
LEVEL3_TYPE	String	100	LEVEL_3	Denomination of the administrative level 3
LEVEL4_TYPE	String	100	LEVEL_4	Denomination of the administrative level 4
LEVEL5_TYPE	String	100	LEVEL_5	Denomination of the administrative level 5
LEVEL6_TYPE	String	100	LEVEL_6	Denomination of the administrative level 6

6.5 SALB CODES (PROVISIONAL MATCHING)

ADM0_CODE	ADM0_NAME	ADM1_CODE	ADM1_NAME	ADM2_CODE	ADM2_NAME	SALB0	SALB1	SALB2
(integer)	(string)	(integer)	(string)	(integer)	(string)			
17	Australia	470	New South Wales	4942	Albury	AUS	AUS002	AUS002001
17	Australia	470	New South Wales	4943	Armidale	AUS	AUS002	AUS002002
17	Australia	470	New South Wales	4944	Ashfield	AUS	AUS002	AUS002003

6.6 OFFICIAL NAMES

Field	DataType	Lenght	AliasName	Description
ADM_CODE	Long Integer		ADM_CODE	GAUL country code
ADM_NAME	String	100	ADM_NAME	UN country name
ENGLISH_NAME	String	100	ENGLISH_NAME	Country Name (English)
FRENCH_NAME	String	100	FRENCH_NAME	Country Name (French)
SPANISH_NAME	String	100	SPANISH_NAME	Country Name (Spanish)
CHINESE_NAME	String	100	CHINESE_NAME	Country Name (Chinese)
ARABIC_NAME	String	100	ARABIC_NAME	Country Name (Arabic)
RUSSIAN_NAME	String	100	RUSSIAN_NAME	Country Name (Russian)

6.7 UNSETTLED TERRITORIES

Field	DataType	Lenght	AliasName	Description
ADM_CODE	Long Integer		ADM_CODE	GAUL code of the disputed area
ADM_NAME	String	100	ADM_NAME	Name of the unsettled territory
STATUS	Text	37	STATUS	Status of the unsettled territory
DISP_AREA	String	3	DISP_AREA	Yes/No
ADMO_NAME	Long Integer	100	ADMO_NAME	Name Country concerned
ADMO_NAME	Long Integer		ADMO_NAME	Code Country concerned

UPDATING PROTOCOL

Hereafter the method used to update and recode the administrative units which were subject to changes is described. The basic criterion is that a unit is recoded only if a change in its shape occurs. This can take place when a unit is a) split into more units, b) merged with other units or c) reshaped due to a change of the location of its boundaries.

Updates occur in the following two cases:

1. When the shape of a unit is changed: changes may or may not affect the administrative units of the level below (i.e. changes in Level 1 affect, or do not affect, the correspondent units in Level 2).
2. When an administrative unit is renamed

Special cases are the disputed areas for which a double coding is required in order to simultaneously maintain the administrative units of all disputing countries.

7. UPDATES OF ADMINISTRATIVE UNITS NOT AFFECTING LOWER LEVELS

The cases reported below refer to updates which do not affect shapes and codes of the corresponded administrative units of the lower level(s).


7.1 CREATION OF A NEW ADMINISTRATIVE UNIT (SPLIT)

This case occurs when an administrative unit is divided into two or more units as a result of a re-aggregation of the administrative units at its lower level.

Actions:

1. Recode the field “ADMx_CODE” of the changed administrative unit

Example: Split of an administrative unit at Level 1




7.2 DELETION OF AN ADMINISTRATIVE UNIT (MERGE)

This case occurs when two or more administrative units are merged into one unit.

Actions:

1. Recode the field “ADM_CODE” of the changed administrative units.

Example: Merge of two administrative units at Level 1



8. UPDATES OF ADMINISTRATIVE UNITS AFFECTING LOWER LEVELS

The cases reported below modify the administrative units in such a way that changes also affect shapes and codes of the corresponded administrative units of the lower level(s).


8.1 MODIFIED COORDINATES OF THE BOUNDARIES

This case occurs when the boundaries of an administrative unit have changes their coordinates. The new position of the boundaries affects all or some of the administrative units at the lower level(s).

Actions:

1. Digitize the new boundaries and remove the old ones
2. Recode the field “ADM_CODE” of the changed administrative unit
3. Recode the field “ADM_CODE” of the administrative units at lower levels that are affected by the changes.

Example: Modify an administrative unit at Level 1




9. RENAMING OF ADMINISTRATIVE UNITS

The renaming of administrative units does not involve any modifications of boundaries and codes at any administrative levels.

Actions:

1. Replace names the field “ADM_NAME” of the changed administrative units. Example: Renaming of an administrative unit at Level 1.



10. UNSETTLED TERRITORIES


From the point of view of the data structure, the GAUL project deals with unsettled territories, such as disputed areas, as individual entities. Each unsettled territory is identified by a code stored in the field “ADM0_CODE” and by an additional field named “DISP_AREA”. The field DISP_AREA stores the value “Yes” when an area is disputed in accordance with the United Nation Cartographic Section (UNCS) guidelines (see the example below).

The records including the value “Yes” in the DISP_AREA field **should be excluded** when a list of countries is created using the GAUL attribute tables.

The GAUL Set includes administrative units of the unsettled territories as geographic features entirely contained inside the unsettled boundaries. Administrative units of different disputing countries may not coincide and therefore they may intersect, splitting the administrative units in various polygons (areas). The GAUL deals with each administrative unit as an individual element and identifies it through a unique code. Consequently, administrative units of a given unsettled territory might be represented by all the units established by the disputing countries. An external table (disputed_areas.dbf) includes codes and names associating the administrative units of the unsettled territories with the respective disputing countries.

The example below shows how GAUL project manages the Level 1 administrative units of the hypothetical Country X and Country Y inside the Disputed Area Z contended between the two countries (none of the elements used for this example represent actual boundaries, names or codes).

Example: Codes of administrative units at Level 1 for disputed Area Z




11. PROCEDURES

The updating of the GAUL is a continuous activity that implies modifications of the current and previous levels of information. Newly acquired data, evaluated more reliable than the one used for the latest release, replaces obsolete boundaries through semi-automated procedures. The new data model has the capacity to update different boundaries of the same administrative unit in cascade, because we store all changes in the same layer (overlap polygons). The codes are recreated or modified accordingly after the completion of the updating of the boundaries.

The overall procedure applied for the implementation of the GAUL project is described in the diagram below:

Main Procedural Steps for the Creation of the GAUL Feature Class



- Step 1: Available data from international and national sources are collected, reviewed and quality controlled.
- Step 2: Data not considered reliable is discarded. Metadata information of the selected data is compiled.
- Step 3: Boundaries of the selected sources are merged in a single layers and original international boundaries are replaced with the ones of the UN Cartographic Unit; GAUL codes are assigned to the units; time limits for the layer's validity are set.
- Step 4: Updates are carried out to all levels of the GAUL Feature Class that include the affected boundaries and units
- Step 5: At the end of the year, a new GAUL Set is released; the set includes the updates carried out during the previous 12 months.
- Steps 1 to 5 represent an iterative cycle that is repeated every time a new data source is identified and selected.

11.1 IDENTIFICATION AND SELECTION OF DATA

Available data from international and national sources are collected and reviewed. The quality control process involves a verification of the following parameters:

1. Quality of digitization
2. Availability of accurate reference system parameters
3. Completeness of the attribute tables (availability of administrative units' names)
4. Authority of the source
5. Coherency with other data sources

It should be noted that sufficient information on the accuracy and reliability of the data is not always available; in these cases, a thorough control of the accuracy of the boundaries can not be performed.

11.2 CREATION AND UPDATING OF GAUL SET

The updating of the GAUL Set is a continuous activity that implies modifications of the current and previous datasets. Newly acquired data, evaluated more reliable than the one used for the latest release, replaces obsolete boundaries through semi-automated procedures. The codes are recreated or modified accordingly after the completion of the updating of the boundaries.

GAUL CONTACTS

Please send any technical questions or comments on the GAUL Documentation you have via email to:

Fabio Grita

Information Technology - Systems Support Officer

ESS, FAO

Tel: +39-06-57054262

Email: fabio.grita@fao.org